



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

646.9910

Job Sheet 190870



Part No: 646.9910

Job Qty: 16 ea

Part Name: Struts



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/19/19

Job Tracking No:

Due Date: 3/5/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: 646.9900 rev nc1 IPP REV:A NEW ISSUE 12-09-19 JLM VERIFIED BY:DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter / Supplier Lead Time	Sign-off
					Setup Hrs	Run Hrs		
110	Doosan - 1	16 pcs	3/5/19	3/5/19	0.00	3.14	Doosan - 1	
120	QC 2	16 pcs	3/5/19	3/5/19	0.00	0.00	QC 2 - 1	
							QC 2 - 12	
							QC 2 - 14	
							QC 2 - 17	
							QC 2 - 19	
							QC 2 - 2	
							QC 2 - 20	
							QC 2 - 22	
							QC 2 - 23	
							QC 2 - 25	
							QC 2 - 32	
							QC 2 - 33	
							QC 2 - 35	
							QC 2 - 39	
							QC 2 - 4	
							QC 2 - 40	
							QC 2 - 44	
							QC 2 - 45	
							QC 2 - 48	
							QC 2 - 49	
							QC 2 - 50	
							QC 2 - 51	
							QC 2 - 52	
							QC 2 - 54	
							QC 2 - 56	
							QC 2 - 57	
							QC 2 - 62	
							QC 2 - 63	
							QC 2 - 8	
							QC 2 - 66	



Container No: S160321



Part: 646.9910

Job No: 190870

Serial No/Batch: S160321

Revision: nc1

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 03/07/19

170 QC 8	16 pcs	3/5/19	0.00 0.00	QC 2 - 64	
				QC 8 - 12	
				QC 8 - 14	mk, 9/03/12
				QC 8 - 17	
				QC 8 - 20	
				QC 8 - 25	
				QC 8 - 3	
				QC 8 - 32	
				QC 8 - 33	
				QC 8 - 35	
				QC 8 - 39	
				QC 8 - 4	
				QC 8 - 44	
				QC 8 - 45	
				QC 8 - 49	
				QC 8 - 58	
				QC 8 - 8	
				QC 8 - 9	
				QC 8 - 68	
				QC 8 - 67	
				QC 8 - 1 (A)	
				QC 8 - 47	
180 Outsource - 4 - Anodize	16 pcs	3/5/19		ATG001-VC	8 03/12/2019 PL
190 Packaging 2-1 - Receive - B4B	16 pcs	3/5/19	0.00 0.00	Packaging 2 - 1 - B4B	
				Packaging 2 - 2 - B4B	
				Packaging 2 - 3 - B4B	
				Packaging 2 - 5 - B4B	
				Packaging 2 - 4 - B4B	
				Packaging 2 - 6 - B4B	
				Packaging 2 - 7 - B4B	
				Packaging 2 - 8 - B4B	
				Packaging 2 - 9 - B4B	
				Packaging 2 - 10 - B4B	
				Packaging 2 - 11 - B4B	
				Packaging 2 - 12 - B4B	
				Packaging 2 - 13 - B4B	
				Packaging 2 - 14 - B4B	
				Packaging 2 - 15 - B4B	
				Packaging 2 - 16 - B4B	
				Packaging 2 - 17 - B4B	
				Packaging 2 - 18 - B4B	
				Packaging 2 - 19 - B4B	
				Packaging 2 - 20 - B4B	
				Packaging 2 - 21 - B4B	
				Packaging 2 - 22 - B4B	
				Packaging 2 - 23 - B4B	
				Packaging 2 - 24 - B4B	
				Packaging 2 - 25 - B4B	
				Packaging 2 - 26 - B4B	
				Packaging 2 - 27 - B4B	
				Packaging 2 - 28 - B4B	
				Packaging 2 - 29 - B4B	
				Packaging 2 - 30 - B4B	
				Packaging 2 - 31 - B4B	
				Packaging 2 - 32 - B4B	
				Packaging 2 - 33 - B4B	
				Packaging 2 - 34 - B4B	
				Packaging 2 - 35 - B4B	
				Packaging 2 - 36 - B4B	

200 QC 6	16 pcs	3/5/19	0.00 0.00	QC 6 - 42	DAS 40 9-89 APR 09 2019
				QC 6 - 9	
				QC 6 - 68	
				QC 6 - 61	
210 Packaging 3-1 - Stock - B4B	16 pcs	3/5/19	0.00 0.00	Packaging 3 - 1 - B4B	APR 15 2019
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
220 QC21-SA	16 Ea	3/5/19	0.00 0.00	QC 21 - SA - 21	DAS 21 9-89 APR 15 2019
				QC 21 - SA - 70	
				QC 21 - SA - 53	

Part Op 110 - *** CUT BLANK ON CHOP SAW AT 24.030" LONG*** TURN AS PER DWG REV: _____ FOLIO
 Descriptions: REV: _____ DEBURR
 120 - QC2- Inspect parts off machine FAI/FAIB
 170 - QC8- Inspect parts - second check
 180 - Issue P/O to ATG : _____ Hard Anodize, Color Black and Prime as per Dwg 646.9900 rev. N/C
 190 - (Receive & Inspect for Damage & Mat'l Certs) Ensure certificate of conformity is attached
 200 - (QC6- All purchased or subcontracted products)
 210 - (Identify as per dwg & Stock Location: _____) ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***
 220 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M6061T6R0.563	6061-T6 Round Bar .563	33.6000 ft (2.1 ea)	110-Doosan - 1	

2.005

5016349 x 6 1/4 26
 5090369 x 10 2 1/2 16

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Doosan - 1	M6061T6R0.563	34	123	0
Part Specifications				
Spec No	Description	Target/Tolerance	Limits	Type Special Comments
1	Strut	0.563Inches $\pm$ 0.010	0.573 0.553	.563/
2	Strut	0.190Inches $\pm$ 0.010	0.200 0.180	.190 .200
3	Strut	0.275Inches $\pm$ 0.010	0.285 0.265	.2715
4	Strut	24.000Inches $\pm$ 0.030	24.030 23.970	24 variable
5	Strut	0.201Inches + 0.005 - 0.001	0.206 0.200	.203
6	Strut	45.0Angle $\pm$ 0.5	45.5 44.5	45

Plex 2/20/19 3:43 PM Dart.Hadley.Shannon



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

646.9910

Job Sheet 190870



Part No: 646.9910

Job Qty: 16 ea

Part Name: Struts



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/19/19

Job Tracking No:

Due Date: 3/5/19 *March 15*

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: 646.9900 rev nc1 IPP REV:A NEW ISSUE 12-09-19 JLM VERIFIED BY:DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	16 Ea		3/5/19	0.00	0.00	Start Up Machining-1		
110	Doosan	16 pcs		3/5/19	0.00	3.14	Doosan		
120	QC	16 pcs		3/5/19	0.00	0.00	QC2 Machining-1		
170	QC	16 pcs		3/5/19	0.00	0.00	QC8 Machining-1		
180	Outsource	16 pcs		3/5/19			ATG001-VC	8	
190	Packaging	16 pcs		3/5/19	0.00	0.00	Packaging2		
200	QC	16 pcs		3/5/19	0.00	0.00	QC6		
210	Packaging	16 pcs		3/5/19	0.00	0.00	Packaging3-1		
220	QC21-SA	16 Ea		3/5/19	0.00	0.00	QC21		

Part Op 110 - *** CUT BLANK ON CHOP SAW AT 24.030" LONG*** TURN AS PER DWG DWG REV: _____ FOLIO
 Descriptions: REV: _____ DEBURR
 180 - Issue P/O to ATG : _____ Hard Anodize, Color Black and Prime as per Dwg 646.9900 rev. N/C
 190 - Ensure certificate of conformity is attached
 210 - ***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
M6061T6R0.563	6061-T6 Round Bar .563	33.6000 ft (2.1 ea)	90-Start up Operation	

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	M6061T6R0.563	34	123	0

41

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																															
Date :		Sequence #:		QTY Affected :		MRB (QSI042)																													
Description Work Order Deviation				Disposition																															
				Completed By																															
				Lead hand / Supervisor																															
				QC / QA Coordinator																															
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY <table border="0"><tr><td>☐ Pressure/Forced</td><td>☐ Contamination</td><td>☐ Power Loss/Surge</td><td>☐ Positioned Wrong</td></tr><tr><td>☐ Bending</td><td>☐ Misaligned/off center</td><td>☐ Folio/Program</td><td>☐ Outside Tolerance</td></tr><tr><td>☐ Crushing</td><td>☐ BOM/Route</td><td>☐ Grain Direction</td><td>☐ Drawing</td></tr><tr><td>☐ Cracks</td><td>☐ Broken/Damage/Defect</td><td>☐ Weld</td><td>☐ Finish</td></tr><tr><td>☐ Crimp/Kink/Ripple/Wave/Twist</td><td>☐ Incomplete/Unclear Instructions</td><td>☐ Wrong Stock Pulled</td><td>☐ Part Lost/Missing</td></tr><tr><td>☐ Marks/Chatter</td><td>☐ Drill Holes</td><td>☐ Out of Sequence</td><td>☐ Misread</td></tr><tr><td>☐ Mislabeled</td><td>☐ Fit/Function</td><td>☐ Off-set/Set-up</td><td></td></tr></table>						☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong	☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance	☐ Crushing	☐ BOM/Route	☐ Grain Direction	☐ Drawing	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish	☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing	☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread	☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up	
☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong																																
☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance																																
☐ Crushing	☐ BOM/Route	☐ Grain Direction	☐ Drawing																																
☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish																																
☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing																																
☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread																																
☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up																																	
		Other/Details:																																	

Part Specifications					
Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Strut	0.563Inches $\pm$ 0.010	0.573 0.553		
2	Strut	0.190Inches $\pm$ 0.010	0.200 0.180		
3	Strut	0.275Inches $\pm$ 0.010	0.285 0.265		
4	Strut	24.000Inches $\pm$ 0.030	24.030 23.970		
5	Strut	0.201Inches + 0.005 - 0.001	0.206 0.200		
6	Strut	45.0Angle $\pm$ 0.5	45.5 44.5		

Plex 2/19/19 10:28 AM Dart.lajeunesse.marie

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																															
Date :		Sequence #:		QTY Affected :		MRB (QSI042)																													
Description Work Order Deviation				Disposition																															
				Completed By																															
				Lead hand / Supervisor																															
				QC / QA Coordinator																															
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY <table border="0"><tr><td>☐ Pressure/Forced</td><td>☐ Contamination</td><td>☐ Power Loss/Surge</td><td>☐ Positioned Wrong</td></tr><tr><td>☐ Bending</td><td>☐ Misaligned/off center</td><td>☐ Folio/Program</td><td>☐ Outside Tolerance</td></tr><tr><td>☐ Crushing</td><td>☐ BOM/Route</td><td>☐ Grain Direction</td><td>☐ Drawing</td></tr><tr><td>☐ Cracks</td><td>☐ Broken/Damage/Defect</td><td>☐ Weld</td><td>☐ Finish</td></tr><tr><td>☐ Crimp/Kink/Ripple/Wave/Twist</td><td>☐ Incomplete/Unclear Instructions</td><td>☐ Wrong Stock Pulled</td><td>☐ Part Lost/Missing</td></tr><tr><td>☐ Marks/Chatter</td><td>☐ Drill Holes</td><td>☐ Out of Sequence</td><td>☐ Misread</td></tr><tr><td>☐ Mislabeled</td><td>☐ Fit/Function</td><td>☐ Off-set/Set-up</td><td></td></tr></table>						☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong	☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance	☐ Crushing	☐ BOM/Route	☐ Grain Direction	☐ Drawing	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish	☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing	☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread	☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up	
☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong																																
☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance																																
☐ Crushing	☐ BOM/Route	☐ Grain Direction	☐ Drawing																																
☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish																																
☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing																																
☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread																																
☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up																																	
		Other/Details:																																	

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor		
			QC / QA Coordinator		
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042861



Supplier: ATG001-VC
A.T.G. Industries Inc
760 INDUSTRIELLE ROAD
ROCKLAND
ON
K4K 1T2 Canada
Phone: 613-446-4544
Fax: 613-446-4556

Attention: Lalande, Marc-Andre

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO042861
PO Date: 3/12/19
Due Date: 3/15/19
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Phone:

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	191750	RBE350A94-3700-C-07	Top -Issue P/O: PO -ANODIZE COLOR RED, PER IAW MIL-A-8625 TYPE-2 CLASS-2, Water sealant As Per Dwg RBE350A94-3700-C-07 Rev 6 -Certificate of Conformity is required	Firmed	-	3/15/19	32 pcs	0 pcs	32 pcs	\$4.75/pcs	\$152.00
2	188120	RBEVR-L11-0010-003-B	Spacer -Issue P/O; -ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1, Water sealant -Material type: 6061T6 -Certificate of Conformity is required	Firmed	-	3/15/19	2 pcs	0 pcs	2 pcs	\$4.75/pcs	\$9.50
3	190357	647.4113	Clip (Outsource process-Anodize per QSI017 4.1.10.1) HARD ANODIZE, COLOR BLACK AS PER DWG.(SEE NOTE 2)	Firmed	-	3/15/19	10 pcs	0 pcs	10 pcs	\$8.08/pcs	\$80.80
4	190842	647.1711	Plate (Outsource process-Anodize per QSI017 4.1.10.1) Issue P/O to ATG :	Firmed	-	3/15/19	7 pcs	0 pcs	7 pcs	\$31.33/pcs	\$219.31
5	191106	647.3916	Deflector Issue P/O to ATG : Hard Anodize Color Black, Prime as per Dwg 647.3900 Rev. C	Firmed	-	3/15/19	9 pcs	0 pcs	9 pcs	\$19.18/pcs	\$172.62



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042861



Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
6	190870	646.9910	Struts Issue P/O to ATG : _____ Hard Anodize, Color Black and Prime as per Dwg 646.9900 rev. N/C	Firmed	-	3/15/19	16 pcs	0 pcs	16 pcs	\$12.98/pcs	\$207.68
							16 X MAR 20 2019				DAS 40 9-89
7	187695	647.4110	Doubler Issue P/O to ATG : _____ 1- Black Anodize as per Dwg 647.4100	Firmed	-	3/15/19	5 pcs	0 pcs	5 pcs	\$24.33/pcs	\$121.65
							5 X MAR 20 2019				
8	187911	649.5111	LH Wiper Deflector Outsource process-Anodize per QSI017 4.1.10.1 - Issue P/O to ATG : _____ AS PER DWG 649.5100 1- Black Anodize as per 2- PRIME AS PER DWG, SEE NOTE #2 Certification of Conformity is required	Firmed	-	3/15/19	4 pcs	0 pcs	4 pcs	\$17.38/pcs	\$69.52
9	190719	647.2011	Lower Strut Issue P/O: _____ ANODIZE AS PER DWG Finish: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOUR BLACK PRIME IAW MIL-P-23377J TYPE I CLASS N	Firmed	-	3/15/19	6 pcs	0 pcs	6 pcs	\$14.48/pcs	\$86.88
							6 X MAR 20 2019				
10	190716	646.3814	Wiper Bracket Issue P/O to ATG: _____ AS PER MPP-172 SECTION 2.1, HARD ANODIZE COLOR BLACK, PER IAW MIL-A-8625 TYPE 3 CLASS 2 AS PER MPP-172 SECTION 4.3, PRIME CARDINAL 7760-4702 LOW VOC EPOXY PRIMER (LIGHT GRAY) Certification of Conformity is required	Firmed	-	3/15/19	12 pcs	0 pcs	12 pcs	\$7.18/pcs	\$86.16
11	191738	647.2010	Upper Strut Outsource process-Anodize per QSI017 4.1.10.1 Issue P/O: _____ ANODIZE AS PER DWG	Firmed	-	3/15/19	12 pcs	0 pcs	12 pcs	\$14.48/pcs	\$173.76
							12 X MAR 20 2019				

Grand Total: \$1,379.88



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER

PO042861



Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance


A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 3/19/19 4:42 PM dart.Lussier.Patrick



A.T.G. Industries Inc.
760 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 917497

Date: 19-Mar-19

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Patrick Lussier
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		ATG Delivery	
Quantity	Description		
	Please reference this document's Pack List number on all correspondences regarding this shipment. If you have any questions, please contact us.		
✓ 12 ea	Part: 647.2010 ✓ Upper Strut Hard Anodize per MIL-A-8625F, Type III, Class 2, Black, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) .0006-.0009" (.6-.9 mils) per drawing Job: 24783	Rev: NC PO: PO042861 ✓	Line: 11
✓ 10 ea	Part: 647.4113 ✓ Clip Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0001-.0002" (1 - 2 mils) per drawing. Job: 24775	Rev: N/C PO: PO042861 ✓	Line: 3
✓ 16 ea	Part: 646.9910 ✓ Struts Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24778	Rev: NC PO: PO042861 ✓	Line: 6
✓ 5 ea	Part: 647.4110 ✓ Doubler Hard Black Anodize per MIL-A-8625F, Type III, Class 2, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied), .0006-.0009" (.6 - .9 mils) per drawing. Job: 24779	Rev: N/C3 PO: PO042861 ✓	Line: 7
✓ 6 ea	Part: 647.2011 ✓ Lower Strut Hard Anodize per MIL-A-8625F, Type III, Class 2, Black, .0005-.0045" (.5 - 4.5mils) Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) .0006-.0009"	Rev: NC	
Made in Canada.			

DAS
40
9-89

DAS
40
9-89



A.T.G. Industries Inc.
760 Industrielle Street
Rockland, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 917497

Date: 19-Mar-19

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Patrick Lussier
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
		ATG Delivery	
Quantity	Description		
	(.6-.9 mils) per drawing Job: 24781	PO: PO042861	Line: 9
CERTIFICATE OF CONFORMANCE A.T.G Industries Inc. certifies that all items in this shipment conform to the requirements. Date: <u>19/3/19</u> Certified Signature: <u>[Signature]</u> Receiver Signature: _____ A.T.G Industries Inc. is AS9100 Registered and Nadcap Chemical Processing Accredited. Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. DAS 40 9-89			
Made in Canada.			